



**BASIC** NEW CONCEPTION OF VERTE DOORS




WATER-BASED VARNISH (INTERIOR)



WHITE

BEECH

APPLE-TREE



Model FULL and SMALL SASH, Beech color



FULL



SMALL LIGHT



LARGE LIGHT



SMALL SASH



MEDIUM SASH



## LEAF CONSTRUCTION


The door consists of a finger jointed softwood filled with stabilizing honeycomb core and covered from both sides with HDF boards. Both sides edges and the upper edge of the leaf are covered with leaf coloured skirting tape. The small and the medium sash (made of PVC) are made in the colour of the door leaf.

## MODELS AND SIZES


- single leaf: „60“, „70“, „80“, „90“, „100“,
- double leaf: „120“ ÷ „200“.

## ACCESSORIES - INCLUDED IN THE LEAF PRICE

- two standard pintle hinges for sizes 60-90 (PN norm),
- three standard pintle hinges for size 100 (PN norm)
- lock: for regular key, bathroom lock or for cylinder insert,
- pane (pattern "chinchilla").
- three standard pintle hinges for all sizes in CZN norm



with FIXED door frame



with ADJUSTABLE door frame

## DOOR FRAME

- door frame, fixed width: 100 mm
- adjustable door frame

## TRIMS FOR FIXED DOOR FRAME

- width: 60 mm
- cut at an angle of 90°
- size: „90“, „100“, „100+100“

## QUARTER ROUNDS

- size: 12x22 mm, length 2150 mm

## NOTES

- The door frame should be installed in the rooms with finished walls (wall paper, painting, glazing) and floors (parquet, lining, terracotta etc.).

	SIZE	S <sub>S</sub>	H <sub>S</sub>	D <sub>S</sub>	S <sub>0</sub>	H <sub>0</sub>	O <sub>S</sub>	O <sub>W</sub>	S <sub>B</sub>	H <sub>B</sub>	S <sub>Z</sub>	H <sub>Z</sub>	T <sub>S/W</sub>
FIXED door frame (PN NORM)	60	644	2030	40	710	2075	602	2016	690	2060	800	2115	+20 / +10
	70	744			810		702		790		900		
	80	844			910		802		890		1000		
	90	944			1010		902		990		1100		
	100	1044			1110		1002		1090		1200		
ADJUSTABLE door frame (PN NORM)	60	644	2030	40	680	2060	602	2016	646	2038	746	2088	+20 / +10
	70	744			780		702		746		846		
	80	844			880		802		846		946		
	90	944			980		902		946		1046		
	100	1044			1080		1002		1046		1146		
FIXED door frame (CN/DIN NORM)	60	648/610	1985	40	715/680	2030	606/568	1971	694/657	2015	804/767	2070	+20 / +10
	70	748/735			815/805		706/693		794/782		904/892		
	80	848/860			915/930		806/818		894/907		1004/1017		
	90	948/985			1015/1055		906/943		994/1032		1104/1142		
	100	1048/-			1115/-		1006/-		1094/-		1204/-		
ADJUSTABLE door frame (CN/DIN NORM)	60	648/610	1985	40	685/650	2015	606/568	1971	650/613	1993	750/713	2043	+20 / +10
	70	748/735			785/775		706/693		750/738		850/838		
	80	848/860			885/900		806/818		850/863		950/963		
	90	948/985			985/1025		906/943		950/988		1050/1088		
	100	1048/-			1085/-		1006/-		1050/-		1150/-		

## LEGEND for door sizes

S<sub>S</sub> – total leaf width, including rebates

H<sub>S</sub> – total leaf height, including rebate

D<sub>S</sub> – thickness of door leaf

S<sub>0</sub> – width of wall opening ready for door frame setting

H<sub>0</sub> – height of wall opening ready for door frame setting, measured from the finished floor level

O<sub>S</sub> – clear width of the door frame

O<sub>W</sub> – clear height of the door frame

S<sub>B</sub> – width of door frame, door trims excluded

H<sub>B</sub> – height of door frame, door trims excluded

S<sub>Z</sub> – total width of door frame, including door trims

H<sub>Z</sub> – total height of door frame, including door trims

T<sub>S/W</sub> – permissible tolerance from width/height of wall opening

All dimensions – in millimeters [mm].

Manufacturer: Porta KMI Poland S.A.

Szkolna Street 26, 84-239 Bolszewo, phone: +48 58 677 81 00, fax: +48 58 677 81 99